


ELAC

Klang lebt



[Line 190]

READY ... JET ... GO!



The starting pistol has only just sounded but the first hurdle has already been cleared: The models in our new 190 line have left the critical eyes and ears of the development department behind them and are already on the road to success.

www.elac.com

Line 190

With the 190 line, the entry point into the world of the JET tweeter is gaining a new name ... and a new face.

Whether in black or white, the high-quality silk matte lacquer finish highlights the 190 line's contemporary style. But it's the drive units up front that reveal its true character. Black anodized aluminium membranes and matching colored JET tweeters leave no doubt as to the ultimate purpose of these beautifully designed loudspeakers: to deliver perfect sound!

The accompanying accessories make it easy to integrate this exceptional sound into any domestic setting: Every speaker in the 190 line is supplied with a cloth baffle cover and a metal grille. Whether you prefer a striking look or cool understatement – with the 190 line, the choice is yours.

The 190 line is designed for those who seek uncompromising audio quality. Once again, our world-renowned JET tweeter demonstrates in impressive style its effortless mastery of even the most complex audio signals. It is one of the few tweeters also capable of reproducing frequencies far above the upper limit of human hearing, which can significantly influence the audible sound.

Aluminium sandwich: the combination of two different materials used to create the woofer membranes. It guarantees accurate reproduction of sounds you want to feel as well as hear. In the compact cabinets of the 190 line, they lay the foundation for superior sound ... with deep bass.

Highly ambitious and with enormous potential – the 190 line is poised for a grand finale ... at home with you.

The Line 190: READY ... JET ... GO!

▼ *Black magic: Anodized aluminum-sandwich membranes not only look good, they also deliver exceptional sound.*

▼ *Hitting new lows – the down-firing system in the BS 192 and FS 197.*





BS 192

Audio addiction or a work of art: The BS 192 masterfully combines of appealing design and stunning sound quality. It excels in small and medium-sized rooms, either on a sideboard or in free-standing positions.



CC 191

Surround sound, the right way: Thanks to its JET tweeter and powerful woofer, the CC 191 creates a powerful sound stage even in large rooms, while remaining visually unobtrusive.




FS 197

It can and it will: The FS 197 captivates the listener in seconds, whether used in two-channel stereo or surround sound configurations! It does not shy away from loud volumes and can handle thundering crescendos or reveal the subtlest nuances with consummate ease.

- ▶ Silk Matt White, fabric grille
- ▶▶ Silk Matt Black, fabric grille

- ▼ FS 197, Silk Matt Black, metal grille



Technical data ELAC Line 190

	FS 197	BS 192	CC 191
Height x Width x Depth	975 x 210 x 290 mm	290 x 160 x 262 mm	158 x 435 x 350 mm
Weight	15 kg	5.5 kg	8.8 kg
Type	2 ½-way, bass reflex	2-way, bass reflex	2 ½-way, bass reflex
Woofer	2 x 140 mm, AS cone	1 x 135 mm, AS cone	2 x 135 mm, AS cone
Tweeter	JET 3	JET 3	JET 3
Magnetic shielding	-	-	Yes
Crossover frequency	700 2,700 Hz	2,500 Hz	700 2,400 Hz
Frequency range (IEC 268-5)	36 to 50,000 Hz	46 to 50,000 Hz	44 to 50,000 Hz
Sensitivity	88.5 dB at 2.83 V/m	87 dB at 2.83 V/m	88.5 dB at 2.83 V/m
Suitable for amplifiers from ... to	4 - 8 Ω	4 - 8 Ω	4 - 8 Ω
Recommended amplifier power	20 - 200 W/channel	20 - 140 W/channel	20 - 170 W/channel
Nominal Peak power handling	90 W 130 W	60 W 80 W	80 W 110 W
Nominal impedance	4 Ω	4 Ω	4 Ω
Minimum impedance	3.4 Ω at 210 Hz	3.3 Ω at 250 Hz	3.5 Ω at 200 Hz
Finishes	Silk Matt Black and White	Silk Matt Black and White	Silk Matt Black and White
Accessories included in delivery	Metal and fabric grille	Metal and fabric grille, magn. fixed	Metal and fabric grille, magn. fixed

Subject to errors and amendment.



ELAC Electroacoustic GmbH

Rendsburger Landstraße 215 • 24113 Kiel • Germany
Phone +49-431-64774-0 • www.elac.com