


ELAC

Klang lebt



[Line 250]

Black & White





Line 250

Black & White

The Line 250 creates a striking impression. Whether in black or white, these loudspeakers are always a visual treat. The elegant design is complemented by an extremely neutral tonal balance that is virtually unmatched thanks to exclusive ELAC technologies.



BS 253

A bookshelf loudspeaker that you'll want to show off: The BS 253 is the compact speaker that's hard to ignore.

◀ Accessory (optional): loudspeaker stand LS 70 II;
colours: High Gloss Black or White



FS 257

With not a hint of blurred tonal shading, this floor-standing speaker delivers a finely-etched sound that is natural, open and easy-going.

Despite its slender dimensions, the speaker's bass response recreates the power of a classical orchestra or a rock concert with equal impact in your living room.

ELAC Line 250



	BS 253	FS 257
Height	285 mm	980 989 mm (without with spikes)
Width	170 mm	220 mm
Depth	220 232 mm (without / with grille)	320 mm
Weight	5.3 kg	17.4 kg
Type	2-way, bass reflex	2 ½-way, bass reflex
Woofer	150 mm Ø, AS-XR cone	2x 150 mm Ø, AS-XR cone
Tweeter	JET III	JET III
Crossover frequency	2,900 Hz	700 3,200 Hz
Nominal power handling	60 W	120 W
Peak power handling	80 W	160 W
Frequency range (IEC 268-5)	42 to 50.000 Hz	33 to 50.000 Hz
Sensitivity	87 dB at 2.8 V/m	88 dB at 2.8 V/m
Suitable for amplifiers from ... to	4 - 8 Ω	4 - 8 Ω
Nominal impedance	4 Ω	4 Ω
Minimum impedance	3,4 Ω at 240 Hz	3.1 Ω at 230 Hz
Recommended amplifier power	30 -150 W/channel	30 -250 W/channel
Finishes	High Gloss White or Black	High Gloss White or Black
Accessories included in delivery	Felt pads; magn. fixed grille	M6 spikes with washer; magn. fixed grille
Accessories optional	Loudspeaker stand LS 70 II Hight: 726 mm, Base plate: 300 x 380 mm (B x T), High Gloss White or Black; JET-DC	JET-DC

Errors and omissions excepted.



ELAC Electroacoustic GmbH

Rendsburger Landstraße 215 • 24113 Kiel • Germany
Tel. +49-431-64774-0 • www.elac.com